

Amendments to the CLAIMS

1. (Currently Amended) A bi-directional remote controller comprising:
means for requesting a guidance on a data broadcasting;
means for receiving guidance information provided from an outside in response to the request; and
means for notifying the received guidance information,
wherein the guidance information is extracted while the data broadcasting is displayed.
2. (Original) The bi-directional remote controller according to claim 1, wherein the requesting means is a guidance setting button key.
3. (Cancelled)
4. (Original) The bi-directional remote controller according to claim 1, wherein the guidance information indicates the location of a button key to be pushed.
5. (Original) The bi-directional remote controller according to claim 1, wherein the guidance information indicates the location of a button key allowed to be pushed.
6. (Original) The bi-directional remote controller according to claim 1, further comprising means for inputting a response instruction on the guidance information.
7. (Original) The bi-directional remote controller according to claim 6, wherein the inputting means is a button key provided on a portion notified by the notifying means.

8. (Original) The bi-directional remote controller according to claim 6, wherein the inputting means is a plurality of button keys provided on a portion notified by the notifying means.

9. (Original) The bi-directional remote controller according to claim 1, wherein the notifying means is a display device.

10. (Currently Amended) The bi-directional remote controller according to claim ~~16~~, wherein the notifying means is provided at a predetermined portion of the inputting means.

11. (Original) A data broadcasting guidance system comprising:
means for extracting guidance information while a data broadcasting is displayed;
means for requesting a guidance on the data broadcasting; and
means for notifying the extracted guidance information in response to the request from the requesting means.

12. (Original) The data broadcasting guidance system according to claim 11, further comprising means for displaying the extracted guidance information in response to the request from the requesting means.

13. (Original) The data broadcasting guidance system according to claim 11, further comprising means for receiving the extracted guidance information in response to the request from the requesting means.

14. (Original) The data broadcasting guidance system according to claim 11, further comprising means for inputting a response instruction on the guidance information provided through the notifying means.

15. (Currently Amended) The data broadcasting guidance system according to claim ~~14~~14, wherein the inputting means is a button key provided on a portion notified by the notifying means.

16. (Currently Amended) The data broadcasting guidance system according to claim ~~11~~14, wherein the inputting means is a plurality of button keys provided on a portion notified by the notifying means.

17. (Original) The data broadcasting guidance system according to claim 11, wherein the requesting means is a guidance setting button key.

18. (Currently Amended) The data broadcasting guidance system according to claim 11, wherein the guidance information indicates the location of a button key to be pushed or allowed to be pushed.

19. (Currently Amended) The data broadcasting guidance system according to claim 11, wherein the ~~guidance information indicates the location of a button key allowed to be pushed~~requesting means and the notifying means are provided at a remote controller, and the extracting means is provided at a data broadcasting display device remotely controllable by the remote controller.

20. (Original) The data broadcasting guidance system according to claim 11, wherein the notifying means is a display device.

21. (Original) The data broadcasting guidance system according to claim 11, wherein the notifying means is provided at a predetermined portion of the inputting means.

22. (Original) A method for guiding a data broadcasting, the method comprising the steps of:

- (a) extracting guidance information while the data broadcasting is displayed;
- (b) requesting a guidance on the data broadcasting; and
- (c) notifying the extracted guidance information in response to the request.

23. (Original) The method according to claim 22, further comprising the step of (d) displaying the guidance information.

24. (Original) The method according to claim 22, further comprising the step of (e) receiving the guidance information.

25. (Original) The method according to claim 22, further comprising the steps of:

- (f) inputting a response instruction on the guidance information; and
- (g) performing a navigation according to the inputted response instruction.

26. (Original) The method according to claim 22, wherein the request is performed by pushing a guidance setting button key.

27. (Currently Amended) The method according to claim 22, wherein the guidance information indicates the location of a button key to be pushed or allowed to be pushed.

28. (Currently Amended) The method according to claim 22, wherein ~~the guidance information indicates the location of a button key allowed to be pushed.~~ in the step (a), the guidance information is extracted by a data broadcasting display device while the data broadcasting is displayed on the data broadcasting display device; and in the step (c), the extracted guidance information is notified on a remote controller used to remotely control the data broadcasting display device.